




成为世界信赖的功率半导体伙伴

Be a Reliable Solutions Partner in Power Semiconductor to Global Customers

	Package No	Packing Code	Packing Method	PCS/ or Tube/Reel	/ Pcs/Box	/ Pcs/Car	(mm) Tube Size				(mm) Inner Box Size		(mm) Carton Size				(+0.3Kg) Single box weight		(+0.5Kg) FCL weight	
							(D)	(R)	(L)	(W)	(H)	(L)	(W)	(H)	(KG) Gross weight	KG Net weight	(KG) Gross weight	KG Net weight		
111	DB	B1	Tube	50	2500	10000	5	11	10	32	10	62	475	280	155	1.80	0.98	7.8	3.9	
112		B2	Tube	50	2500	20000	5	12	10	30	10	65	500	280	305	1.80	0.98	15.2	7.8	
113	DBL	B1	Tube	50	2500	10000	5	11	10	32	10	62	475	280	155	1.80	0.98	7.3	3.4	
114	DBS	B1	Tube	50	5000	20000	5	11	10	32	10	62	475	280	155	1.80	0.98	2.8	1.5	
115		B2	Tube	50	10000	40000	5	12	10	30	10	129	472	277	291	1.80	0.98	15.0	7.5	
116	DBLS	B1	Tube	50	5000	20000	5	11	10	32	10	62	475	280	155	1.80	0.98	11.2	5.6	
117	2KBJ	B1	Tube	22	1320	5280	462	28.5	6.1	477	148	90	490	320	203	4.29	2.9	18.1	11.6	
118																				

28.5



成为世界信赖的功率半导体伙伴

Be a Reliable Solutions Partner in Power Semiconductor to Global Customers

Thanks